

Military Maintenance & Repair Kit Part #97786 Includes: Pro-Mig Kit #10000, Freedom Alloys Kit #10005, HydraTest Kit #79631, & Eliminator Kit #10004

PRO-MIG

Portable Battery-Powered MIG Welder Kit #10000

Included Accessories:



Storage Tool Box



Inside of Storage Tool Box with the PRO-MIG welder



20 Ft. Cord



Battery Jumper Cable



Nozzle and 6 Tips (3)
.030, (3) .035



Assortment of 16
2 lb. MIG Wire Spools



Pro-Mig Manual and
Video CD (#93036)



Shielding Gas Adapter -
Size "B"



Battery Harness

These MIG Electrodes Included in Pro-Mig Kit - 2 lb. Spools Flux Cored Gasless

Part No. .030	Part No. .035	GAS	Description
10050	10051	None	True Blue Mild Steel
-	10054	None	Old Faithful All Steels
-	10060	None	Cool Coat Stainless Steel



Flux Cored

Part No. .030	Part No. .035	GAS	Description
-	10015	75/25	True Blue Mild Steel
-	10020	75/25	Sand Dune Med. Carbon Steel
-	10024	75/25	Cool Coat Stainless Steel



Solid Wire

Part No. .030	Part No. .035	GAS	Description
10074	10075	75/25	True Blue Mild Steel
10079	10080	75/25	Sand Dune Med. Carbon Steel
-	10070	75/25	Old Faithful All Steels
-	10085	75/25	Cool Coat Stainless Steel
10096*	10097*	ARGON	Snow Cap Aluminum - 1lb. spool
-	10090	ARGON	Copperhead Cast Iron



Pro-Mig Accessories Included in Kit

Military Vehicle 24 Volt Slave Plug Part# 7023

Pro-Mig can be used with military Vehicles
24 Volt Slave Plug with Cam-Lok quick
connect



Cam-Lok Adapter Harness Part# 7024

Cam-Lok adapter harness, for use with the
Slave Plug (Part# 7023)



Accessory Power Converter Part# 7025

Pro-Mig can be used as a spool gun with
the conventional welder, set on constant
voltage output, using Accessory Power
Converter (Part# 7025)



Freedom **ALLOYS** Welding Repair Kit Part #10005



Welding Repair Kit #10005 includes all of the following welding products:

Old Faithful - Electrodes for welding all types of steels

Sand Dune - Electrodes for welding low alloy steel applications

Scorpion - A super E-7018M moisture resistant welding electrode

True Blue - Electrodes for welding mild steel applications

Grease Monkey - Electrodes for welding through all contaminants

Fast Freeze - Electrodes for welding all position stainless steels

Copperhead - Copper clad high tensile electrode for welding cast iron

Cobra - Electrodes for welding any combination of ferrous & non-ferrous metals

Snow Cap - Electrodes for welding aluminum applications

Crusher - Hardfacing welding electrode for severe impact applications

Hard Hat - Hardfacing welding electrode for extreme abrasion applications

Eraser - Chamfering and cutting welding electrode for use on all types of metals

Pyro Shield - Heat resistant compound to help position parts for welding

Welding Accessories - Electrode holder, welding gloves, auto darkening welding helmet



Main Office: P.O. Box 40277 • Houston, Texas 77240 • Phone: 281.571.6000 • Fax: 281.469.3205
Branch Office: Reno, Nevada 89515 • Roanoke, Virginia 24153 • Phone: 800.868.4326 • Fax: 800.535.4619

INTERNET: www.tifco.com

EMAIL: tifco@tifco.com

COMBO HydraTest™ / SWIVEL RUN TEE ADAPTER KIT

- 79631 Designed to perform all four types of pressure tests
- Ideal size for large field service truck or shop
- Packed in case #91590 with foam #91596
- Seals for port adapters included

Part No.	Description
79631	Combo HydraTest™ with Digital Gauges (2 Ea. 79523)

TEST HOSE & COUPLERS

QTY	PART #	DESCRIPTION
2	79900	Micro Test Hose Assembly
1	79938	Female Hose Union
2	79934	Male Hose Union
*	79939	Air Purge Valve

PRESSURE GAUGES

QTY	PART #	DESCRIPTION
2	79901	1000PSI/0-70 Bar
2	79902	10,000PSI/0-700 Bar
*	79917	3000 PSI/0-200 Bar
*	79918	5000 PSI/0-400 Bar
*	79919	60 KG Cm ² /0-850 PSI Dry
*	79920	600 KG Cm ² /0-8500 PSI
*	79921	400 KG Cm ² /0-5500 PSI
*	79922	60 KG Cm ² /0-850 PSI
*	79923	25 KG Cm ² /0-350 PSI
*	79924	10 KG Cm ² /0-140 PSI

PLUGS

QTY	PART #	DESCRIPTION
1	79705	#4 (1/4") SAE 37° JIC
1	79706	#5 (5/16") SAE 37° JIC
1	79707	#6 (3/8") SAE 37° JIC
1	79708	#8 (1/2") SAE 37° JIC
1	79709	#10 (5/8") SAE 37° JIC
1	79710	#12 (3/4") SAE 37° JIC
1	79711	#16 (1") SAE 37° JIC
1	79685	#4 (1/4") ORFS
1	79686	#6 (3/8") ORFS
1	79687	#8 (1/2") ORFS
1	79688	#10 (5/8") ORFS
1	79689	#12 (3/4") ORFS
1	79690	#16 (1") ORFS
1	90787	#4 (1/4") BSPP
1	90788	#6 (3/8") BSPP
1	90789	#8 (1/2") BSPP
1	90790	#10 (5/8") BSPP
1	90791	#12 (3/4") BSPP
1	90792	#16 (1") BSPP
1	90587	#4 (1/4") JIS 30° BSPP (Kobelco)
1	90588	#6 (3/8") JIS 30° BSPP (Kobelco)
1	90589	#8 (1/2") JIS 30° BSPP (Kobelco)
1	90585	#2 (M10) JIS 30° (Komatsu)
1	90593	#4 (M14) JIS 30° (Komatsu)
1	90594	#6 (M18) JIS 30° (Komatsu)
1	90595	#8 (M22) JIS 30° (Komatsu)

CAPS

QTY	PART #	DESCRIPTION
1	79693	#4 (1/4") SAE 37° JIC
1	79695	#6 (3/8") SAE 37° JIC
1	79694	#5 (5/16") SAE 37° JIC
1	79696	#8 (1/2") SAE 37° JIC
1	79697	#10 (5/8") SAE 37° JIC
1	79698	#12 (3/4") SAE 37° JIC
1	79699	#16 (1") SAE 37° JIC
1	79678	#4 (1/4") ORFS
1	79679	#6 (3/8") ORFS
1	79680	#8 (1/2") ORFS
1	79681	#10 (5/8") ORFS
1	79682	#12 (3/4") ORFS
1	79683	#16 (1") ORFS
1	90738	#4 (1/4") BSPP
1	90739	#6 (3/8") BSPP
1	90740	#8 (1/2") BSPP
1	90741	#10 (5/8") BSPP
1	90742	#12 (3/4") BSPP
1	90743	#16 (1") BSPP
1	90590	#4 (1/4") JIS 30° BSPP (Kobelco)
1	90591	#6 (3/8") JIS 30° BSPP (Kobelco)
1	90592	#8 (1/2") JIS 30° BSPP (Kobelco)
1	90586	#2 (M10) JIS 30° (Komatsu)
1	90596	#4 (M14) JIS 30° (Komatsu)
1	90597	#6 (M18) JIS 30° (Komatsu)
1	90598	#8 (M22) JIS 30° (Komatsu)

Bottom Tray



SWIVEL RUN TEES

QTY	PART #	DESCRIPTION
1	79883	#2(M10) JIS 30° (Komatsu)
1	79950	#4 (1/4") SAE 37° JIC
1	79951	#5 (5/16") SAE 37° JIC
1	79952	#6 (3/8") SAE 37° JIC
1	79953	#8 (1/2") SAE 37° JIC
1	79954	#10 (5/8") SAE 37° JIC
1	79955	#12 (3/4") SAE 37° JIC
1	79956	#16 (1") SAE 37° JIC
1	79960	#4 (1/4") ORFS
1	79962	#6 (3/8") ORFS
1	79963	#8 (1/2") ORFS
1	79964	#10(5/8") ORFS
1	79965	#12 (3/4") ORFS
1	79966	#16 (1") ORFS
1	79970	#4 (1/4") BSPP
1	79972	#6 (3/8") BSPP
1	79973	#8 (1/2") BSPP
1	79974	#10 (5/8") BSPP
1	79975	#12 (3/4") BSPP
1	79976	#16 (1") BSPP
1	79980	#4 (M14) 30° JIS (Komatsu)
1	79982	#6 (M18) 30° JIS (Komatsu)
1	79984	#8 (M22) 30° JIS (Komatsu)
*	79862	#12 (M30) 30° JIS (Komatsu) SP
*	79863	#12 (M30) 30° JIS (Komatsu) HP
1	79990	#4 (1/4") 30° JIS -BSPP (Kobelco)
1	79992	#6 (3/8") 30° JIS -BSPP (Kobelco)
1	79994	#8 (1/2") 30° JIS -BSPP (Kobelco)
1	79858	#12 (3/4) 30° JIS -BSPP (Kobelco)

TEST POINTS

QTY	PART #	DESCRIPTION
2	79925	Hydraulic Adapter M/F Elbow
1	79940	#4 (1/4") Female ORFS
1	79908	M10 - 1.0 Test Point
1	79752	#6 (3/8") FJIC x M16-2.0
2	79906	#4 (1/4") FJIC x M16-2.0
*	79935	#2 (1/8") NPT x M16-2.0
*	79907	M8-1.0 x M16-2.0
*	79909	M10-1.25 x M16-2.0
*	79911	M14-1.5 x M16-2.0
*	79913	#2 (1/8") MBSPT x M16-2.0
*	79915	#2 (1/8") MBSPP x M16-2.0
*	79931	#4 (1/4") NPT x M16-2.0
*	79908	M10-1.0 x M16-2.0
*	79910	M12-1.5 x M16-2.0
*	79912	M16-1.5 x M16-2.0
*	79914	#4 (1/4") MBSPT x M16-2.0
*	79929	#4 (1/4-19) BSPP x M16-2.0
1	79747	45° Elbow
1	79760	M10-1.0 Female x M16-2.0

CONVERSION ADAPTERS

QTY	PART #	DESCRIPTION
2	79945	Conversion Adapter
1	79926	Schwing & Kawaski
1	79949	90° Elbow Schwing & Kawaski
1	79927	Samsung
1	79946	90° Swivel Elbow
1	79903	Komatsu & Hitachi
1	79904	Volvo
1	79905	Caterpillar & John Deere
1	79928	JCB
1	79936	SkyJack, J.L.G.
1	79958	Clark/Michigan
1	79944	Male Union
1	79937	Female Conversion Adapter
1	79948	90° Conversion Adapter - Volvo
1	79755	Male Union - Volvo
1	79756	Male Union - Caterpillar & John Deere
1	79759	90° Conversion Adapter - Cat. & John Deere
*	90408	Pilot Line Extension Adapters
*	90409	Pilot Line Extension Adapters

PORT ADAPTERS #4 MJIC x MALE PORT

QTY	PART #	DESCRIPTION
*	81784	#2(M10) 90° Swivel Elbow
*	81785	#4(M14) 90° Swivel Elbow
*	81786	#6(M18) 90° Swivel Elbow
*	81787	#8(M22) 90° Swivel Elbow
*	81788	#10(M24) 90° Swivel Elbow
*	81789	#12(M30) 90° Swivel Elbow
*	79941	M18-1.5 x #4 FBSPP Special Adapter
1	77310	#2 (1/8") SAE Straight Thread
1	77311	#3 (3/16") SAE Straight Thread
1	77312	#4 (1/4") SAE Straight Thread
1	77313	#5 (5/16") SAE Straight Thread
1	77314	#6 (3/8") SAE Straight Thread
1	77315	#8 (1/2") SAE Straight Thread
1	77316	#10 (5/8") SAE Straight Thread
1	77317	#12 (3/4") SAE Straight Thread
1	79701	#2 (1/8") NPT
2	79702	#4 (1/4") NPT
1	79703	#6 (3/8") NPT
1	79704	#8 (1/2") NPT
1	79692	#12 (3/4") NPT x #4 (1/4") NPT Bushing
1	79713	45° JIC Swivel Elbow
1	79714	90° JIC Swivel Elbow
1	90401	M8-1.0
1	90360	M10-1.0
1	90402	M10-1.25
1	90403	M12-1.5
1	90404	M14-1.5
1	90405	M16-1.5
1	90316	#2 (1/8") BSPT
1	90317	#4 (1/4") BSPT
1	90337	#2 (1/8") BSPP
1	90338	#4 (1/4") BSPP
1	90339	#6 (3/8") BSPP
2	79746	Sampling Adapter

TEST NIPPLES

QTY	PART #	DESCRIPTION
1	48988	Oil/Pressure Sampling
*	48999	7/16-20
*	48993	1/4-19 BSPP

HANDY PAKS

QTY	PART #	DESCRIPTION
1	86610	HydraTest Conv. Adapter
1	86611	HydraTest Unions & Conv. Adapter
1	86612	Caps & Plugs #4 - #10
1	86613	Caps & Plugs #12 - #16
1	86600	Komatsu & Kobelco Caps & Plugs
1	86606	Metric Port Adapter
1	86604	JIC x MORB Adapter
*	86607	Test Point Adapter

* LABEL ONLY

The **ELIMINATOR** System Kit

Part #10004

Capability

The unique burning action of Eliminator ultrathermic rods liquifies any material in almost any environment. Eliminator can cut or melt through Aluminum, Cast Iron, Concrete, Granite, Steel, Stainless Steel, Titanium, Exotic Metals, almost any known material. Eliminator cuts quickly with minimal heat buildup leaving the temper of the material virtually unchanged. Eliminator rods burn in damp environments, even submerged in water or mud.

The Eliminator Torch

- Made of durable impact-resistant materials
- Designed to help relieve operator fatigue
- Specially designed arrestor with internal screen eliminates flashbacks
- Large acme-threaded collet nut is easy to remove or tighten with gloved hand
- Simple, proven design prevents fouling from mud, sand slag and other debris
- Rod insertion and retention is quick and reliable
- Oxygen control lever allows operator to "feather" the flow of oxygen

Part No.	Eliminator System Kit Includes:
	Eliminator Torch Kit
10002	Torch Handle 20 Ft. Oxygen Hose, Striker Plate, 20 Ft. Power Cable w/Clamps, Leather Shield, 1/4", 3/8", 1/2" Collets, & Tool Box
	Eliminator Ultrathermic Rods
10102	1/4" x 18" Eliminator Rods
10103	3/8" x 18" Eliminator Rods
10106	3/8" x 36" Eliminator Rods
10108	1/2" x 48" Eliminator Rods
7010	Rod Extender

